

CLASSIC FRENCH DOOR

CLASSIC FRENCH DOORS

CLASSIC DIMENSIONS

CENTER SEAL

HINGE BOLTS

RESTRICTOR

DOOR OUTER FRAME

THRESHOLD

CILL

FRAME EXTENSIONS

COUPLING BAR

DOOR OUTER FRAME

THRESHOLD


CILL

FRAME EXTENSIONS

COUPLING BAR




CLASSIC FRENCH DOOR



CLASSIC FRENCH DOORS
CLASSIC DIMENSIONS
CENTER SEAL
HINGE BOLTS
RESTRICTOR
DOOR OUTER FRAME
THRESHOLD
CILL
FRAME EXTENSIONS
COUPLING BAR



CLASSIC



72 FRAME WITH LOW ALUMINIUM THRESHOLD

MAXIMUM SIZE: 1020 x 2176

MINIMUM SIZE: 920 x 1877

DOUBLE DOORS 72 FRAME WITH LOW ALUMINIUM THRESHOLD

MAXIMUM SIZE: 1934 x 2176

MINIMUM SIZE: 1734x 1877

The overall frame dimensions can be increase or reduced by using other options;

DOOR OUTER FRAME THRESHOLDS

CILL

FRAME EXTENSIONS

DOOR SASH

MAXIMUM SIZE: 908 x 2098

MINIMUM SIZE: 808 x 1799

PRESS GLAZING

UNIT THICKNESS: 22

UNIT SIZE: 599 x 1390

APERTURE: 565 x 1356


PRESS BEAD GLAZING

N/A

CLASSIC FRENCH DOORS
CLASSIC DIMENSIONS
CENTER SEAL
HINGE BOLTS
RESTRICTOR
DOOR OUTER FRAME
THRESHOLD
CILL
FRAME EXTENSIONS
COUPLING BAR



CENTER DOOR SEALS




DOOR OUTER FRAME
THRESHOLD
CILL
FRAME EXTENSIONS
COUPLING BAR

CLASSIC FRENCH DOORS
CLASSIC DIMENSIONS
CENTER SEAL
HINGE BOLTS
RESTRICTOR
DOOR OUTER FRAME
THRESHOLD
CILL
FRAME EXTENSIONS
COUPLING BAR



HINGE BOLTS




DOOR OUTER FRAME
THRESHOLD
CILL
FRAME EXTENSIONS
COUPLING BAR

CLASSIC FRENCH DOORS
CLASSIC DIMENSIONS
CENTER SEAL
HINGE BOLTS
RESTRICTOR
DOOR OUTER FRAME
THRESHOLD
CILL
FRAME EXTENSIONS
COUPLING BAR



DOOR RESTRICTOR




DOOR OUTER FRAME
THRESHOLD
CILL
FRAME EXTENSIONS
COUPLING BAR

CLASSIC FRENCH DOORS
CLASSIC DIMENSIONS
CENTER SEAL
HINGE BOLTS
RESTRICTOR
DOOR OUTER FRAME
THRESHOLD
CILL
FRAME EXTENSIONS
COUPLING BAR




LARGE PVC THRESHOLD




OPEN IN ALI THRESHOLD

If the threshold is used with a Pvc cill the cill **MUST** be

reinforced




SLIM PVC THRESHOLD



OPEN OUT ALI THRESHOLD


If the threshold is used with a Pvc cill the cill **MUST** be the 150mm large bed and be reinforced.




- CLASSIC FRENCH DOORS
- CLASSIC DIMENSIONS
- CENTER SEAL
- HINGE BOLTS
- RESTRICTOR
- DOOR OUTER FRAME
- THRESHOLD
- CILL
- FRAME EXTENSIONS
- COUPLING BAR



LARGE OUTER FRAME




SLIM OUTER FRAME



- CLASSIC FRENCH DOORS
- CLASSIC DIMENSIONS
- CENTER SEAL
- HINGE BOLTS
- RESTRICTOR
- DOOR OUTER FRAME
- THRESHOLD
- CILL
- FRAME EXTENSIONS
- COUPLING BAR




85mm CILL




REINFORCED 150mm CILL


Must be used on ALL French doors with an aluminium threshold



150mm CILL




180mm CILL




- CLASSIC FRENCH DOORS
- CLASSIC DIMENSIONS
- CENTER SEAL
- HINGE BOLTS
- RESTRICTOR
- DOOR OUTER FRAME
- THRESHOLD
- CILL
- FRAME EXTENSIONS
- COUPLING BAR



15mm FRAME EXTENSIONS



45mm FRAME EXTENSIONS




- CLASSIC FRENCH DOORS
- CLASSIC DIMENSIONS
- CENTER SEAL
- HINGE BOLTS
- RESTRICTOR
- DOOR OUTER FRAME
- THRESHOLD
- CILL
- FRAME EXTENSIONS
- COUPLING BAR



7mm COUPLING BAR

←52mm→ →7→ ←52mm→



←72mm→ →7→ ←72mm→

- CLASSIC FRENCH DOORS
- CLASSIC DIMENSIONS
- CENTER SEAL
- HINGE BOLTS
- RESTRICTOR
- DOOR OUTER FRAME
- THRESHOLD
- CILL
- FRAME EXTENSIONS
- COUPLING BAR

